## Fellowes.

# The World's Toughest Shredders®



2023 Full Line Shredder Catalog

We care deeply about helping you be at your

best.

We want professionals to be the best they can be. More productive. More efficient. Happier. Healthier. That's why as a fourth-generation family business we're committed to creating quality business machines, storage products, workspace wellness solutions and air purifiers. Designed to meet—and exceed—the needs of an ever-changing world. Whether in a corporate center or a home office, we'll help you be more productive so you can dominate the day. Because to be your very best, you need someone with experience in your corner. Fellowes Brands.



FAMILY BUSINESS SINCE 1917



## Fellowes.

## BANKERS BOX





Trendway>

esi



# The World's Toughest Shredders®

Stop worrying about managing sensitive information. We can help. Our line of shredders ensures your documents and files are unrecoverable. Destroyed. Gone. For the utmost security, rely on the world's toughest shredders, the first time, every time.



#### **Shredder Selection Guide**

## Commercial

Our commercial grade shredders are ideal for large offices with multiple users, feature continuous run times for non-stop shredding, sheet capacities up to 38 sheets and are engineered for heavy usage.



Powershred® 485Ci

Number of Users



continuous

Run Time

Daily Usage



# Small Office / Home Office

Our small office/home office shredders are ideal for 1-3 users who handle confidential information, feature up to 30 minute run times, capacities up to 20 sheets and are engineered for medium/heavy usage.



LX220

Number of Users



10-30 minutes

Run Time

Daily Usage



## Personal

Our personal shredders are ideal for individual users handling confidential information in the office or home, feature sheet capacities up to 12 sheets and are engineered for light/medium usage.



LX50

Number of Users



Run Time



Daily Usage



## **Shredder Security Guide**

## Strip-Cut



Security Level Basic Security DIN Level P-2

Usage
Use for documents with low confidentiality needs

Strip Size Approx. 39 strips per sheet (P-2)

### Cross-Cut



Security Level Higher Security DIN Level P-3 & P-4

Usage Enhanced security for highly confidential documents

Strip Size
Approx. 302 particles per sheet (P-3)
Approx. 397 particles per sheet (P-4)

#### Micro-Cut



Security Level Superior Security DIN Level P-4 & P-5

Usage
Superior security for highly confidential documents

Strip Size

Approx. 1,257 particles per sheet (P-4)

Approx. 3,770 particles per sheet (P-5)

#### **High Security**



Security Level Government Approved DIN Level P-7

Usage
Ultimate security for top secret
and classified documents

Strip Size Approx. 15,081 particles per sheet (P-7)

## **Features**

### SHRED PAST PAPER JAMS

No matter what jam technology you choose, Fellowes is committed to a hassle-free shredding experience.





100% Jam Proof™ Technology Eliminates paper jams and powers through tough jobs



Auto Reverse Stops and reverses paper if a jam occurs

## **SAFETY FIRST**

Protecting identities and families with intelligent safety features.









SafeSense® Technology Automatically stops shredding when hands touch the paper opening Safety Lock
Disables shredder for
added safety protection

## **ENERGY SAVING FEATURES**

A shredder that saves energy, saves money.



**Energy Savings System** 

Provides optimal energy efficiency 100% of the time – in use and out of use



Sleep Mode

Shuts down the shredder after 2 minutes of inactivity



Auto Shut Off™

Automatically shuts off after 30 minutes of inactivity



## **WORK QUIETLY**

Shared workspace? Look for our best-in-class quiet performance features.



SilentShred™

Offers ultra-quiet performance for shared workspaces



Quiet Operation

Shreds without noisy interruptions



## **CONSIDER OTHER FEATURES**

Whether you need BAA Compliance or next generation intelligent technology, we've got you covered.



USA BAA Compliant
Designed & assembled
in the USA and meets
strict BAA guidelines



TAA Compliant Meets strict TAA guidelines



IntelliBAR<sup>™</sup>
Shred smarter with greater productivity

greater productivity, efficiency and convenience



Auto Oil

Automatically lubricates to enhance performance & extend shredder life



Touch Screen
Innovative touch
screentechnology
with back-lit LEDs

## **AUTOMATICALLY SHRED**

When there's no time to shred, automatic shredders do it for you. Our AutoMax" shredders finish the job hands-free so you can get back to business.



Fast and precise

AccuFeed System™

automatic shredding for

maximum productivity



SMA LOC



SmartLock™

Engages with shred cycle to protect confidential information




FlexShred™

Gravity feed system shreds up to 100 sheets automatically or 10 manually



2-in-1

Simultaneously use Auto and Manual feed for fast and productive shredding



| Auto Feed                           |  |                                |  |                                |                                |                               |                                |                                |
|-------------------------------------|--|--------------------------------|--|--------------------------------|--------------------------------|-------------------------------|--------------------------------|--------------------------------|
| Model Name                          | 600M                                   | 550C                           | 350C                                   | 200M                           | 200C                           | 150C                          | 100M                           | 100MA                          |
| Model                               |  |                                |  |                                |                                |                               |                                |                                |
| Item Number                         | 4657301                                | 4963001                        | 4964001                                | 4656201                        | 4653501                        | 4680001                       | 4629001                        | 4704001                        |
| Sheet<br>Capacity<br>(20 lb. paper) | 14 (Manual)<br>600 (Automatic)         | 14 (Manual)<br>550 (Automatic) | 12 (Manual)<br>350 (Automatic)         | 10 (Manual)<br>200 (Automatic) | 10 (Manual)<br>200 (Automatic) | 8 (Manual)<br>150 (Automatic) | 10 (Manual)<br>100 (Automatic) | 10 (Manual)<br>100 (Automatic) |
| Cut Type /<br>Security Level        | Micro-Cut   P-5                        | Cross-Cut   P-4                | Cross-Cut   P-4                        | Micro-Cut   P-5                | Cross-Cut   P-4                | Cross-Cut   P-4               | Micro-Cut   P-4                | Micro-Cut   P-4                |
| Speed<br>(FPM)                      | 11                                     | 11                             | 11                                     | 9                              | 11                             | 11                            | 8                              | 16                             |
| Duty Cycle<br>(min.)                | Continuous                             | Continuous                     | 45 on / 30 off                         | 25 on / 20 off                 | 25 on / 25 off                 | 12 on / 25 off                | 15 on / 35 off                 | 7 on / 40 off                  |
| Usage                               | Shared                                 | Shared                         | Shared                                 | Personal                       | Personal                       | Personal                      | Personal                       | Personal                       |
| Throat Width                        | 9"                                     | 9"                             | 9"                                     | 9"                             | 9"                             | 9"                            | 8.6"                           | 9"                             |
| Jam<br>Prevention<br>Feature        | Ç                                      |                                | <u></u>                                |                                | <u>,</u>                       |                               | <u></u>                        | <u></u>                        |
| Safety<br>Feature                   |  |                                |  | -                              | -                              | -                             | -                              | -                              |
| Noise Quality<br>Feature            | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | <b>\}</b> ))                   | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | \{\mathref{\infty}\)           | \{ \mathred{m}}                | \{\})))                       | <b>}</b> ))                    | (((                            |
| Energy<br>Savings<br>Feature        |  |                                |  |                                |                                |                               |                                |                                |
| Additional<br>Features              | MICRO SHRED                            |                                |  | MCRO SHRED                     |                                |                               | V                              | 2-in-1                         |
| Also Shreds                         | Auto OC Manual - OC OC                 | Auto PS  Manual SPSS=          | Auto / C                               | Auto C                         | Auto DC<br>Manual CDDD         | Auto DC                       | 800                            |                                |
| Bin Type                            | Removeable Bin                         | Removable Bin                  | Removable Bin                          | Pull-Out Bin                   | Pull-Out Bin                   | Pull-Out Bin                  | Pull-Out Bin                   | Pull-Out Bin                   |
| Bin Capacity<br>in Gallons          | 22                                     | 22                             | 18                                     | 8.5                            | 8.5                            | 8.5                           | 6                              | 4.5                            |
| Bin Full<br>Indicator               | •                                      | •                              | •                                      | •                              | ~                              | •                             | •                              | •                              |
| Casters                             | ~                                      | •                              | •                                      | •                              | •                              | -                             | •                              | •                              |
| Warranty<br>(Full/Cutter)           | 2/7 Years                              | 2/20                           | 2/20                                   | 2/7                            | 2/7                            | 2/5                           | 2/7 Years                      | 1/3 Years                      |
| Unit<br>Dimensions<br>(HxWxD)       | 35.06" × 17.4"<br>× 22.75"             | 35.06" x 17.4"<br>x 22.75"     | 32.06" x 15.38"<br>x 22.75"            | 22.19" X 13.62"<br>X 20"       | 22.19" × 13.62" × 20"          | 21.37" × 13.62" × 20"         | 25.19" x 15.38"<br>x 14.56"    | 20.31" x 13.38"<br>x 9.88"     |
| Unit Weight                         | 84.2                                   | 74.1                           | 70.1                                   | 36                             | 34                             | 33.7                          | 29                             | 19.4                           |
| List Price*                         | \$2,989.99                             | \$2,710.99                     | \$1,922.99                             | \$1,456.99                     | \$1,252.99                     | \$698.99                      | \$545.99                       | \$319.99                       |
| Shredder<br>Oil Item #              | 35250                                  | 35250                          | 35250                                  | 35250                          | 35250                          | 35250                         | 35250                          | 4015501                        |
| Waste Bag<br>Item #                 | 36054                                  | 36054                          | 36054                                  | 36053                          | 36053                          | 36053                         | 36052                          | -                              |

\*Pricing subject to change.



## Commercial

| Model Name                       | 485Ci / 485i             | DESTAND & ASSENDEED USA BAA COMPLIANT | 425Ci / 425i             | DESCRIPTION & ASSESSMENT USE A BACOMPLIANT | 325Ci / 325i                       |
|----------------------------------|--------------------------|---------------------------------------|--------------------------|--|------------------------------------|
| Model                            |                          |                                       |                          |  |                                    |
| Item Number                      | 38485 / 384              | 180                                   | 38425 / 38               | 420  | 3831001 / 3830001                  |
| Sheet Capacity<br>(20 lb. paper) | 30 / 38                  |                                       | 30 / 38                  | 1  | 22 / 24                            |
| Cut Type /<br>Security Level     | Cross-Cut  <br>Strip-Cut | P-4<br>P-2                            | Cross-Cut  <br>Strip-Cut | P-4<br>P-2                                 | Cross-Cut   P-4<br>Strip-Cut   P-2 |
| Speed<br>(FPM)                   | 20                       |                                       | 20                       |  | 15 / 20                            |
| Duty Cycle<br>(min.)             | Continuo                 | ıs                                    | Continuo                 | us   | Continuous                         |
| Usage                            | Departmen                | tal                                   | Departme                 | ntal                                       | Departmental                       |
| Throat Width                     | 16"                      |                                       | 12"                      |  | 9.5"                               |
| Jam Prevention<br>Feature        |                          |                                       |                          |  |                                    |
| Safety Feature                   |                          |                                       |                          |  |                                    |
| Noise Quality<br>Feature         | -                        |                                       | -                        |  | \$ )))                             |
| Energy Savings<br>Feature        | ₹                        |                                       | **                       |  | ₹                                  |
| Additional<br>Features           | cross-cut only           |                                       | cross-cut onl            | y  | -                                  |
| Also Shreds                      | <b>8</b> = 0 €           |                                       | <b>⊘</b> = <i>P</i> <    | 3 6  | 0 = P C =                          |
| Bin Type                         | Removable                | Bin                                   | Removable                | Bin  | Removable Bin                      |
| Bin Capacity<br>in Gallons       | 35                       |                                       | 30                       |  | 22                                 |
| Bin Full Indicator               | <b>~</b>                 |                                       | •                        |  | •                                  |
| Casters                          | <b>~</b>                 |                                       | •                        |  | •                                  |
| Warranty<br>(Full/Cutter)        | 2/Lifetim                | е                                     | 2/Lifetin                | ne   | 2/Lifetime                         |
| Unit Dimensions<br>(HxWxD)       | 37.5" x 25" x            | 20"                                   | 37.5" × 22" ×            | 20"  | 34.69" x 20.13" x 18.13"           |
| Unit Weight (lbs.)               | 170 / 153                | 3                                     | 140 / 12                 | 4  | 93.9 / 92.8                        |
| List Price*                      | \$6,078.99 / \$5,        | 501.99                                | \$4,643.99 / \$4         | 1,231.99                                   | \$4,101.99 / \$3,659.99            |
| Shredder Oil<br>Item #           | 35250 / -                |                                       | 35250 /                  | -  | 35250 / -                          |
| Waste Bag Item #                 | 3605801                  |                                       | 360580                   | 1  | 36056                              |

\*Pricing subject to change.

| Commercial                       |                                    |  |                                    |  |  |  |
|----------------------------------|------------------------------------|--|------------------------------------|--|--|--|
| Model Name                       | 225Ci / 225i                       | 225Mi                                  | 125Ci / 125i                       |  |  |  |
| Model                            |                                    |  |                                    |  |  |  |
| Item Number                      | 3825001 / 3322001                  | 4620001                                | 3312501 / 3312001                  |  |  |  |
| Sheet Capacity<br>(20 lb. paper) | 22 / 20                            | 16                                     | 20 / 18                            |  |  |  |
| Cut Type /<br>Security Level     | Cross-Cut   P-4<br>Strip-Cut   P-2 | Micro-Cut   P-5                        | Cross-Cut   P-4<br>Strip-Cut   P-2 |  |  |  |
| Speed<br>(FPM)                   | 14/16                              | 16                                     | 14/16                              |  |  |  |
| Duty Cycle<br>(min.)             | Continuous                         | Continuous                             | Continuous                         |  |  |  |
| Usage                            | Shared                             | Shared                                 | Shared                             |  |  |  |
| Throat Width                     | 9.5"                               | 9.5"                                   | 9"                                 |  |  |  |
| Jam Prevention<br>Feature        |                                    |  |                                    |  |  |  |
| Safety Feature                   |                                    |  |                                    |  |  |  |
| Noise Quality<br>Feature         | <b>)</b> ))                        | \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | \$ )))<br>2                        |  |  |  |
| Energy Savings<br>Feature        | <b>*</b>                           | <b>*</b>                               | ₹¥                                 |  |  |  |
| Additional<br>Features           | -                                  |  | -                                  |  |  |  |
| Also Shreds                      | 0=160                              | <b>9</b> = P < ©                       | Ø = / ° € €                        |  |  |  |
| Bin Type                         | Removable Bin                      | Removable Bin                          | Pull-Out Bin                       |  |  |  |
| Bin Capacity<br>in Gallons       | 16                                 | 16                                     | 14                                 |  |  |  |
| Bin Full Indicator               | •                                  | •                                      | •                                  |  |  |  |
| Casters                          | <b>~</b>                           | •                                      | •                                  |  |  |  |
| Warranty<br>(Full/Cutter)        | 2/Lifetime                         | 2/7                                    | 2/Lifetime                         |  |  |  |
| Unit Dimensions<br>(HxWxD)       | 30.75" × 17.75" × 17.1"            | 30.75" × 17.75" × 17.1"                | 28.9" x 11.25" x 21.06"            |  |  |  |
| Unit Weight (lbs.)               | 83/77                              | 89                                     | 60/55                              |  |  |  |
| List Price*                      | \$2,260.99/\$1,971.99              | \$2,979.99                             | \$1,589.99 / \$1,396.99            |  |  |  |
| Shredder Oil<br>Item #           | 35250 / -                          | 35250                                  | 35250 / -                          |  |  |  |
| Waste Bag Item #                 | 36054                              | 36054                                  | 36054                              |  |  |  |


| Commercial Fortishred <sup>™</sup> |                     |            |              |              |               |            |  |  |
|------------------------------------|---------------------|------------|--------------|--------------|---------------|------------|--|--|
| Model Name                         | 3850C               | COMPLIANT  | 3250C        | COMPLIANT    | 2250C         | COMPLIANT  |  |  |
| Model                              |                     |            |              |              |               |            |  |  |
| Item Number                        | 46178               | 301        | 4617         | 001          | 4616          | 6001       |  |  |
| Sheet Capacity<br>(20 lb. paper)   | 22 -                | 24         | 20 -         | 22           | 12 -          | 14         |  |  |
| Cut Type /<br>Security Level       | Cross-Cu            | t   P-4    | Cross-C      | ut   P-4     | Cross-C       | ut   P-4   |  |  |
| Speed<br>(FPM)                     | 16                  |            | 1            | 6            | 2             | 0          |  |  |
| Duty Cycle<br>(min.)               | Contin              | uous       | Conti        | nuous        | Conti         | nuous      |  |  |
| Usage                              | Departmental        |            | Departmental |              | Shared        |            |  |  |
| Throat Width                       | 15.7                | 5"         | 10.          |              | 10.           | 25"        |  |  |
| Jam Prevention<br>Feature          |                     |            |              |              |               | <b>*</b>   |  |  |
| Safety Feature                     |                     |            |              |              |               |            |  |  |
| Noise Quality<br>Feature           |                     | ))         | <b>(</b> ))) |              | (3))          |            |  |  |
| Energy Savings<br>Feature          | •                   | )          |              |              | •             |            |  |  |
| Additional<br>Features             | -                   |            | -            |              |               |            |  |  |
| Also Shreds                        | <b>⊗</b> = <i>P</i> | GD         | <b>⊘</b> = / | 260          | <b>⊘</b> = // | 60         |  |  |
| Bin Type                           | Removal             | ole Bin    | Remova       | ble Bin      | Remova        | able Bin   |  |  |
| Bin Capacity<br>in Gallons         | 44                  |            | 26           | .5           | 2             | 0          |  |  |
| Bin Full Indicator                 | •                   |            | •            |              |               | ,          |  |  |
| Casters                            | •                   |            | •            |              |               | ,          |  |  |
| Warranty<br>(Full/Cutter)          | 2/3                 | 0          | 2/           | 30           | 2/            | 30         |  |  |
| Unit Dimensions<br>(HxWxD)         | 38.2" x 25.2        | " x 23.25" | 36.5" x 19   | 5" × 18.5"   | 34.25" x 1    | 9.7" x 15" |  |  |
| Unit Weight<br>(lbs.)              | 18                  | 5          | 10           | 5.8          | 71            | .7         |  |  |
| List Price*                        | \$3,714             | 1.99       | \$3,09       | 4.99         | \$2,44        | 14.99      |  |  |
| Shredder Oil<br>Item #             | 352                 | 50         | 352          | 50           | 352           | 250        |  |  |
| Waste Bag Item #                   | 3604                | 101        | 360          | <b>;</b> 101 | 360           | 054        |  |  |

 ${\rm *Pricing\ subject\ to\ change}.$ 

| Commercial F                     | -<br>Fortishred <sup>™</sup>  | Commercial Hi     | gh Security | /                  |                   |
|----------------------------------|---|-------------------|-------------|--------------------|-------------------|
| Model Name                       | 2250M   | 425HS             | COMPLIANT   | HS-440             | TAYA<br>COMPLIANT |
| Model                            |   |                   |             |                    |                   |
| Item Number                      | 4616601   | 4251501           |             | 3306301            |                   |
| Sheet Capacity<br>(20 lb. paper) | 8 - 10  | 10                |             | 4                  |                   |
| Cut Type /<br>Security Level     | Micro-Cut   P-5   | High-Security   I | P-7         | High-Security      | P-7               |
| Speed<br>(FPM)                   | 20  | 19                |             | 14                 |                   |
| Duty Cycle<br>(min.)             | Continuous  | Continuous        |             | Continuous         |                   |
| Usage                            | Shared  | Departmental      |             | Shared             |                   |
| Throat Width                     | 10.25"  | 12"               |             | 9.5"               |                   |
| Jam Prevention<br>Feature        |   |                   |             | <u>,</u>           |                   |
| Safety Feature                   |   |                   |             |                    |                   |
| Noise Quality<br>Feature         | \ <u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>   | -                 |             | \$)))<br>          |                   |
| Energy Savings<br>Feature        |   | <b>**</b>         |             |                    |                   |
| Additional<br>Features           | NAME OF THE PARTY |                   |             | -                  |                   |
| Also Shreds                      | $= P \subset$   | Paper Only        |             | Paper Only         |                   |
| Bin Type                         | Removable Bin   | Dual Bin          |             | Removable Bin      |                   |
| Bin Capacity<br>in Gallons       | 20  | 32.1              |             | 9.25               |                   |
| Bin Full Indicator               | •   | •                 |             | •                  |                   |
| Casters                          | •   | •                 |             | •                  |                   |
| Warranty<br>(Full/Cutter)        | 2/30  | 2/2               |             | 1/1                |                   |
| Unit Dimensions<br>(HxWxD)       | 34.25" × 19.7" × 15"  | 37.5" × 22" × 20' |             | 27.6" x 15.6" x 1: | 1.6"              |
| Unit Weight (lbs.)               | 71.7  | 144.8             |             | 48.5               |                   |
| List Price*                      | \$2,790.99  | \$4.999.99        |             | \$2,492.99         |                   |
| Shredder Oil<br>Item #           | 35250   | 3505801           |             | 3505701            |                   |
| Waste Bag Item #                 | 36054   | 3605801           |             | 36053              |                   |

## Small Office / Home Office Shredders

Our small office / home office shredders are ideal for up to three users who handle sensitive information, feature up to 30 minute run times and are engineered for frequent usage. Fellowes® line of small office and home office shredders include features designed specifically for shared office workspaces and higher volume personal shredding.



# LX SERIES FOR THE OFFICE

More Shredding. Zero Jamming.

These revolutionary, worry-free shredders maximize workplace efficiency and keep your day in flow. Our new IntelliBAR™ feature has patented responsive technology that prioritizes security, jam-prevention, and quiet shredding. All with the quality and performance you've come to expect from The World's Toughest Shredders®.






Next generation intelligent responsive technology that is 100% Jam-Proof allowing you to shred safely and quietly with maximum protection, productivity and convenience.



| Small Offic                   | e/Home Offic                       | e                       |                         |                                    |  |                       |
|-------------------------------|------------------------------------|-------------------------|-------------------------|------------------------------------|--|-----------------------|
| Model Name                    | LX220                              | LX190                   | 99Ci                    | LX210                              | LX180  | 79Ci                  |
| Model                         |                                    |                         |                         |                                    | Acar De la Contraction de la C |                       |
| Item Number                   | 5015501 (White)<br>5015401 (Black) | 5501701                 | 3229901                 | 5015301 (White)<br>5015201 (Black) | 5501601  | 3227901               |
| Sheet Capacity (20 lb. paper) | 20                                 | 20                      | 18                      | 16                                 | 16   | 16                    |
| Cut Type /<br>Security Level  | Micro-Cut   P-4                    | Cross-Cut   P-4         | Cross-Cut   P-4         | Micro-Cut   P-4                    | Cross-Cut   P-4  | Cross-Cut   P-4       |
| Speed<br>(FPM)                | 7 FPM                              | 10 FPM                  | 10 FPM                  | 7 FPM                              | 10 FPM   | 10 FPM                |
| Duty Cycle<br>(min.)          | 30 on / 15 off                     | 30 on / 15 off          | 30 on / 40 off          | 20 on / 15 off                     | 20 on / 15 off   | 20 on / 30 off        |
| Usage                         | Shared                             | Shared                  | Shared                  | Personal                           | Personal   | Personal              |
| Throat Width                  | 9"                                 | 9"                      | 9"                      | 9"                                 | 9"   | 9"                    |
| Jam Prevention<br>Feature     | •                                  |                         |                         |                                    |  |                       |
| Safety Feature                | •                                  | <b>(</b>                | V                       | <b>(</b>                           |  |                       |
| Noise Quality<br>Feature      | (((                                | (((                     | \{\mathref{m}\)         | (((                                | (((  | <b>3)))</b>           |
| Energy Savings<br>Feature     | <b></b>                            | <u></u> :               | <b>**</b>               | <b></b>                            | <b>6</b>   | 2×                    |
| Additional<br>Features        | O IntelliBAR                       | O IntelliBAR            | -                       | O IntelliBAR                       | O IntelliBAR   | -                     |
| Also Shreds                   | S = / =                            | 5800                    | <b>9</b> = <b>/</b> S = | 68/6                               | 68/8   | <b>9</b> =/5=         |
| Bin Type                      | Pull-Out Bin                       | Pull-Out Bin            | Pull-Out Bin            | Pull-Out Bin                       | Pull-Out Bin   | Pull-Out Bin          |
| Bin Capacity<br>in Gallons    | 8                                  | 8                       | 9                       | 6                                  | 6  | 6                     |
| Bin Full Indicator            | Yes                                | Yes                     | Yes                     | Yes                                | Yes  | Yes                   |
| Casters                       | Yes                                | Yes                     | Yes                     | Yes                                | Yes  | Yes                   |
| Warranty<br>(Full/Cutter)     | 2/7 Years                          | 2/7 Years               | 2 Years/Lifetime        | 2/7 Years                          | 2/7 Years  | 2/Lifetime            |
| Unit Dimensions<br>(HxWxD)    | 23.25" × 16.5" × 11.75"            | 23.25" × 16.5" × 11.75" | 25.2" × 11.4" × 17.3"   | 21.06" x 14.13" x 11.69"           | 21.06" × 14.13" × 11.69"   | 21.4" × 15.4" × 10.4" |
| Unit Weight                   | 34.2                               | 32                      | 36.4                    | 26.9                               | 24.5   | 28.2                  |
| List Price*                   | \$525.99                           | \$526.99                | \$896.99                | \$446.99                           | \$423.99   | \$688.99              |
| Shredder Oil<br>Item #        | 4015501                            | 4015501                 | 4015501                 | 4015501                            | 4015501  | 4015501               |
| Waste Bag Item #              | 36053                              | 36053                   | 36053                   | 36052                              | 36052  | 36053                 |

| Small Office / Home Office       |                       |                                    |                         |                          |  |  |  |
|----------------------------------|-----------------------|------------------------------------|-------------------------|--------------------------|--|--|--|
| Model Name                       | 99Ms                  | LX200                              | LX170                   | 62MC                     |  |  |  |
| Model                            |                       |                                    |                         |                          |  |  |  |
| Item Number                      | 4609001               | 5015101 (White)<br>5015001 (Black) | 5501401                 | 4685101                  |  |  |  |
| Sheet Capacity<br>(20 lb. paper) | 14                    | 12                                 | 12                      | 10                       |  |  |  |
| Cut Type /<br>Security Level     | Micro-Cut   P-4       | Micro-Cut   P-2                    | Cross-Cut   P-4         | Micro-Cut   P-4          |  |  |  |
| Speed<br>(FPM)                   | 11 FPM                | 9 FPM                              | 10 FPM                  | 9                        |  |  |  |
| Duty Cycle (min.)                | 20 on / 40 off        | 10 on / 15 off                     | 10 on / 15 off          | 7 on / 60 off            |  |  |  |
| Usage                            | Shared                | Personal                           | Personal                | Personal                 |  |  |  |
| Throat Width                     | 9"                    | 9"                                 | 9"                      | 9"                       |  |  |  |
| Jam Prevention<br>Feature        | <u></u>               | <b>(</b>                           | <b>(</b>                | -                        |  |  |  |
| Safety Feature                   | V                     | <b>(</b>                           | <b>(</b>                | •                        |  |  |  |
| Noise Quality<br>Feature         | <b>\$</b> ")          | <b>(</b> ((                        | <b>(</b> ((             | (((                      |  |  |  |
| Energy Savings<br>Feature        |                       |                                    |                         | -                        |  |  |  |
| Additional<br>Features           | -                     | IntelliBAR*                        | intellibar              | -                        |  |  |  |
| Also Shreds                      |                       |                                    | $S = \emptyset$         |                          |  |  |  |
| Bin Type                         | Pull-Out Bin          | Pull-Out Bin                       | Pull-Out Bin            | Pull-Out Bin             |  |  |  |
| Bin Capacity<br>in Gallons       | 9                     | 6                                  | 6                       | 5                        |  |  |  |
| Bin Full Indicator               | Yes                   | Yes                                | Yes                     | -                        |  |  |  |
| Casters                          | Yes                   | Yes                                | Yes                     | Yes                      |  |  |  |
| Warranty<br>(Full/Cutter)        | 1/7 Years             | 2/7 Years                          | 2/7 Years               | 1/5 Years                |  |  |  |
| Unit Dimensions<br>(HxWxD)       | 25.2" × 11.4" × 17.3" | 20.69" x 14.5" x 10.25"            | 20.69" x 14.5" x 10.25" | 18.75" × 13.75" × 10.44" |  |  |  |
| Unit Weight (lbs.)               | 41.5                  | 20.7                               | 19.2                    | 20.5                     |  |  |  |
| List Price*                      | \$1,063.99            | \$399.99                           | \$361.99                | \$323.99                 |  |  |  |
| Shredder Oil<br>Item #           | 4015501               | 4015501                            | 4015501                 | 4015501                  |  |  |  |
| Waste Bag Item #                 | 36053                 | 36052                              | 36052                   | -                        |  |  |  |

## Personal Shredders



# LX SERIES

FOR THE HOME OFFICE

The perfect shredders for home office use with advanced safety features, and the LX Series signature design.



| Personal Shredders               |                        |                        |                         |                         |                         |                         |  |  |
|----------------------------------|------------------------|------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--|--|
| Model Name                       | LX85                   | 12C                    | LX70                    | 11C                     | LX65                    | LX50                    |  |  |
| Model                            | Asso                   |                        |                         |                         | Non                     | 12.                     |  |  |
| Item Number                      | 4400401                | 7120001                | 4402901                 | 4350001                 | 4400301                 | 4402801                 |  |  |
| Sheet Capacity<br>(20 lb. paper) | 12                     | 12                     | 11                      | 11                      | 10                      | 9                       |  |  |
| Cut Type /<br>Security Level     | Cross-Cut   P-4        | Cross-Cut   P-4        | Cross-Cut   P-4         | Cross-Cut   P-4         | Cross-Cut   P-4         | Cross-Cut   P-4         |  |  |
| Speed<br>(FPM)                   | 7 FPM                  | 7 FPM                  | 10 FPM                  | 10 FPM                  | 13 FPM                  | 7 FPM                   |  |  |
| Duty Cycle<br>(min.)             | 20 min on / 30 min off | 20 min on / 30 min off | 5 min on / 30 min off   | 5 min on / 30 min off   | 6 min on / 20 min off   | 5 min on / 30 min off   |  |  |
| Usage                            | Personal               | Personal               | Personal                | Personal                | Personal                | Personal                |  |  |
| Throat Width                     | 9"                     | 9"                     | 9"                      | 9"                      | 9"                      | 9"                      |  |  |
| Jam Prevention<br>Feature        | <u>,</u>               | -                      | -                       | -                       | -                       | -                       |  |  |
| Safety Feature                   | V                      | •                      | •                       | •                       | V                       | •                       |  |  |
| Noise Quality<br>Feature         | (((                    | (((                    | (((                     | (((                     | (((                     | (((                     |  |  |
| Energy Savings<br>Feature        | -                      | -                      | -                       | -                       | -                       | -                       |  |  |
| Additional<br>Features           | -                      | -                      | -                       | -                       | -                       | -                       |  |  |
| Also Shreds                      | Q = 0 0                | G = 0 = 0              | G = 00                  |                         |                         |                         |  |  |
| Bin Type                         | Pull-Out Bin           | Pull-Out Bin           | Lift-Off Head           | Lift-Off Head           | Lift-Off Head           | Lift-Off Head           |  |  |
| Bin Capacity<br>in Gallons       | 5                      | 5                      | 4.8                     | 4.8                     | 6                       | 4.4                     |  |  |
| Bin Full Indicator               | No                     | No                     | No                      | No                      | No                      | No                      |  |  |
| Casters                          | Yes                    | Yes                    | No                      | No                      | No                      | No                      |  |  |
| Warranty<br>(Full/Cutter)        | 2/5 Years              | 1/5 Years              | 1/5 Years               | 1/3 Years               | 1/5 Years               | 1/3 Years               |  |  |
| Unit Dimensions<br>(HxWxD)       | 19.5" x 13.38" x 9.69" | 18.5" x 13.44" x 9.69" | 18.13" x 12.19" x 8.69" | 16.88" x 13.63" x 9.38" | 16.06" x 9.19" x 14.63" | 15.81" x 12.19" x 8.69" |  |  |
| Unit Weight<br>(lbs.)            | 15.0                   | 14.6                   | 11.7                    | 11.5                    | 11.7                    | 9.9                     |  |  |
| List Price*                      | \$266.99               | \$293.99               | \$186.99                | \$221.99                | \$217.99                | -                       |  |  |
| Shredder Oil<br>Item #           | 4015501                | 4015501                | 4015501                 | 4015501                 | 4015501                 | 4015501                 |  |  |
| Waste Bag Item #                 | -                      | -                      | -                       | -                       | -                       | -                       |  |  |

| Personal SI                      | hredders                |                         |                         |                         |  |
|----------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--|
| Model Name                       | LX41                    | LX45                    | LX25M                   | LX25                    | P-30C  |
| Model                            | Ann                     | ADA                     | na.                     | Na.                     | The state of the s |
| Item Number                      | 4402001                 | 4400201                 | 4300501                 | 4300401                 | 6008004  |
| Sheet Capacity<br>(20 lb. paper) | 8                       | 8                       | 6                       | 6                       | 6  |
| Cut Type /<br>Security Level     | Micro-Cut   P-4         | Cross-Cut   P-4         | Micro-Cut   P-4         | Cross-Cut   P-4         | Cross-Cut   P-4  |
| Speed<br>(FPM)                   | 8 FPM                   | 12 FPM                  | 10 FPM                  | 7 FPM                   | 10 FPM   |
| Duty Cycle<br>(min.)             | 5 on / 30 off           | 6 on / 20 off           | 5 on / 30 off           | 5 on / 30 off           | 3 on / 40 off  |
| Usage                            | Personal                | Personal                | Personal                | Personal                | Personal   |
| Throat Width                     | 9"                      | 9"                      | 9"                      | 9"                      | 8.56"  |
| Jam Prevention<br>Feature        | -                       | -                       | -                       | -                       | -  |
| Safety Feature                   |                         |                         |                         |                         | -  |
| Noise Quality<br>Feature         | <b>(</b> ((             | (((                     | <b>(</b> ((             | (((                     | -  |
| Energy Savings<br>Feature        | -                       | -                       | -                       | -                       | -  |
| Additional<br>Features           | -                       | -                       | -                       | -                       | -  |
| Also Shreds                      |                         |                         | G = P                   |                         |  |
| Bin Type                         | Lift-Off Head  |
| Bin Capacity<br>in Gallons       | 4.4                     | 4.4                     | 3                       | 3                       | 4  |
| Bin Full Indicator               | No                      | No                      | No                      | No                      | No   |
| Casters                          | No                      | No                      | No                      | No                      | No   |
| Warranty<br>(Full/Cutter)        | 1/3 Years  |
| Unit Dimensions<br>(HxWxD)       | 15.81" x 12.19" x 8.69" | 15.81" × 12.19" × 8.69" | 14.25" x 12.19" x 8.56" | 14.25" x 12.19" x 8.56" | 14.56" × 15.94" × 7.44"  |
| Unit Weight (lbs.)               | 11.2                    | 9                       | 8.6                     | 7.9                     | 8.2  |
| List Price*                      | \$159.99                | \$195.99                | \$154.99                | \$146.99                | \$94.99  |
| Shredder Oil<br>Item #           | 4015501                 | 4015501                 | 4015501                 | 4015501                 | 4015501  |
| Waste Bag Item #                 | -                       | -                       | -                       | -                       | -  |



